SOBIS

Smart Collaboration

PIRS – Highlights and Improvements

Release 3.63

Define project time zone for overdue flag and auto completion

Introduction of an optional time zone for projects.

Depending on the selected time zone the:
- overdue flag is set and
- auto completion of workflow steps is executed.



Number	Title	Workflow	Next approval responsible	Next approval function	Next approval step(s) d...	Next approval step(s) overdue
1-PRE-MA-KBN-AA-003 (...	[redacted]	RED LINE	[redacted]	Function 1	26.10.2023	Yes
1-PRE-MA-KBN-AA-005 (...	[redacted]	RED LINE	[redacted]	Function 1	26.10.2023	Yes
1-PRE-MA-KBN-BB-001 (...	[redacted]	RED LINE	[redacted]	Function 1	27.10.2023	
1-PRE-MA-KBN-BB-003 (...	[redacted]	RED LINE	[redacted]	Function 1	27.10.2023	
PIRSJAVA-15321 (00)	[redacted]	RED LINE	[redacted]	Function 1	27.10.2023	

New number option allows direct input also for auto number fields

Allows direct input **or** auto number based on a formula. The formula uses meta information from document.
Next number is created based on previous document number.

If option is enabled, then direct input of a number is possible…



…and auto creation if user clicks on the selector:



Identify recipients copied from correspondence history

In case multiple recipients are copied from a text history:

----- History from S[redacted]@sobis.com> on 07.11.2023 12:47 (Reference Number: SOB/SOB/00020 -)-----

From:	[redacted]t@sobis.com>
To:	PIRS Approver 1 <pirs.approver1@test.sobis.com>; PIRS Approver 2 <pirs.approver2@test.sobis.com>; PIRS Approver 3 <pirs.approver3@test.sobis.com>
Cc:	No recipients.
Date:	07.11.2023 12:47
Subject:	SOB/SOB/00020 - - Invitation to our 20th anniversary of ...

PIRS identifies them as separate recipients (if added in the To, Cc or Bcc field of a new Correspondence):

To:	PIRS Approver 1 <pirs.approver1@test.sobis.com> ✕ PIRS Approver 2 <pirs.approver2@test.sobis.com> ✕ PIRS Approver 3 <pirs.approver3@test.sobis.com> ✕
Cc:	
Bcc:	
Doclink:	

File Viewer Performance

Introduction of a new optional setting
that caches libs and other resources in browser to improve performance.
Especially (but not exclusive) for users who read or annotate files in File Viewer.

Feature is not enabled by default.
Please talk to SOBIS if this should be enabled in your environment.

SOBIS

Smart Collaboration

MERCI!

THANK YOU!

VIELEN DANK!

GRAZIE!