




PIRS – Highlights and Improvements

Release 3.44

Inherit fields from previous revisions in imported documents



Inherit field values from existing revision, if import does not contain any value.

Example:

Use WBS value from previous Revision if value is not available in imported Data.

Applies also to:



- Comos interface
- APIs (default without inheritance but can be enabled)

Define display mode for mails filed via drag&drop or wizard

Define how a mail is displayed after filing.


Possible options:

- None (default)
- Open in read mode
- Open in edit mode




Ask SOBIS Service Desk for the setup.

File Viewer Upgrade




New annotations:

- Insert text
- Replace text



Synchronize Contacts with MS Graph API

The synchronization of Contacts works now also with Microsoft Graph API.
 The synchronization works similar like for LDAP.



<input type="checkbox"/>	Last Name	First Name	★	E-Mail	Company	Last modified
<input type="checkbox"/>	Fleming	Kibo	☆	kibo.fleming@sobistesting.onmicrosoft.com	Nunc Corp.	21.11.2022 18:41
<input type="checkbox"/>	Flo	Kibo	☆	kibo.flo@sobistesting.onmicrosoft.com	Nunc Corp.	09.11.2022 09:34
<input type="checkbox"/>	Witt	Scarlet	☆	scarlet.witt@sobistesting.onmicrosoft.com	Nunc Corp.	09.11.2022 09:34
<input type="checkbox"/>	Gilbert	Leonard	☆	Leonard.Gilbert@sobistesting.onmicrosoft.com	Nunc Corp.	09.11.2022 09:34
<input type="checkbox"/>	Massey	Nigel	☆	nigel.massey@sobistesting.onmicrosoft.com	Nunc Corp.	09.11.2022 09:34

Ask SOBIS Service Desk for details.



MERCI!

THANK YOU!

VIELEN DANK!

GRAZIE!